

AI-Driven Autonomous Decision Systems for Global Manufacturing Supply Chains

Madhav Jayeshkumar Pandya*

Independent Researcher, USA

* Corresponding Author Email: reachmadhavpandya@gmail.com - ORCID: 0000-0002-5247-7550

Article Info:

DOI: 10.22399/ijcesn.5333

Received : 20 April 2026

Revised : 05 June 2026

Accepted : 10 June 2026

Keywords

Autonomous Supply Chains
Artificial Intelligence
Supply Chain Decision
Intelligence Digital
Manufacturing
Production Optimization

Abstract:

The article proposes an Autonomous Supply Chain Decision Architecture (ASCDA) that leverages machine learning, digital twin modeling, industrial IoT, and constraint-aware optimization to enable real-time autonomous decision-making in global manufacturing supply chains. Operational complexity—driven by expanding product portfolios, distributed supplier networks, and demand volatility—overwhelms traditional batch planning cycles. The ASCDA integrates four layers of decision logic (predictive analytics, operational constraint encoding, scenario simulation, and autonomous execution) with Integrated Business Planning governance frameworks to ensure algorithmic decisions remain aligned with financial and organizational objectives. The article demonstrates through numerical case analysis how this architecture improves throughput, reduces inventory buffers, and accelerates disruption response. The transition requires organizational restructuring: supply chain professionals evolve from plan generators to system architects and governance stewards, necessitating hybrid skill sets bridging domain expertise and data literacy. The ASCDA relative is situated to existing frameworks (SCOR, RAMI 4.0, ISA-95) and outline governance boundaries, human escalation thresholds, and accountability mechanisms essential for trustworthy autonomous supply chain systems.

1. Introduction

Global manufacturing supply chains have become substantially more complicated over the past several decades. Companies must manage complex networks of suppliers, multi-tier production systems, logistics, and downstream distribution channels spanning geographies and time zones. These networks must respond rapidly to shifts in consumer demand, supplier performance variability, and disruptions from natural disasters, geopolitical events, and macroeconomic shocks [1]. The cognitive and computational demands on human planners are acute. They must reconcile information streams from enterprise resource planning (ERP) systems, manufacturing execution systems (MES), demand sensing platforms, and supplier portals—each operating on different timescales and data standards [2]. This fragmentation creates planning latency: decisions respond to already-occurred damage rather than anticipated conditions. Machine learning algorithms address this gap by analyzing high-dimensional

operational data, discovering hidden correlations, and delivering optimized recommendations faster and more consistently than human planners [3]. When integrated with cloud platforms, real-time IoT data feeds, and AI-enabled simulation, these systems fundamentally shift from retrospective planning (generating plans based on past conditions) to prospective, continuously adaptive planning [4].

This article examines both the technical and organizational dimensions of this transformation. Section 2 traces the evolution of supply chain decision systems. Section 3 synthesizes AI techniques for demand forecasting, disruption detection, multi-scenario optimization, and adaptive planning. Section 4 details digital twin modeling and autonomous production planning algorithms. Section 5 proposes the Autonomous Supply Chain Decision Architecture and its integration with Integrated Business Planning. Section 6 explores organizational implications, governance requirements, and future research directions.

2. Evolution of Supply Chain Decision Systems

Supply chain management technology has evolved through distinct phases, each enabling greater automation and real-time coordination. Tracing this progression contextualizes current AI-driven developments.

Transaction Processing and ERP Systems. The first generation focused on transaction processing—inventory movements, purchase orders, cash flows—to improve efficiency. Enterprise Resource Planning systems (1980s-1990s) integrated these functions and created shared databases across procurement, production, and finance [5]. While ERP eliminated manual record-keeping and provided data consistency, it lacked optimization capability.

Advanced Planning and Digital Control. Generation two introduced Advanced Planning and Scheduling (APS) systems with demand forecasting, production scheduling, and network optimization functions [6]. Medium-term plans matched demand forecasts to capacity constraints, but planning cycles remained weekly or monthly, and planner judgment remained critical for exception handling. The third wave brought digital supply chain platforms, real-time data integration, and supply chain control towers—centralized dashboards monitoring ERP, MES, transportation, and supplier systems [7]. Control towers accelerated disruption detection and cross-organizational coordination but remained reactive: they surfaced information to human decision-makers without recommending autonomous action.

Toward Autonomous Systems. The next evolutionary step shifts from visibility to autonomy: evaluating trade-offs, simulating scenarios, and recommending optimized decisions with minimal human intervention [8]. Recent advances in machine learning, cloud infrastructure, and data platforms enable this transition, allowing supply chains to increasingly manage themselves within defined governance boundaries.

3. Artificial Intelligence in Supply Chain Decision-Making

Artificial intelligence supports supply chain decision intelligence across four critical functions: demand forecasting, disruption detection, multi-scenario optimization, and adaptive planning.

3.1 Demand Forecasting with Machine Learning

Classical time series methods (ARIMA, exponential smoothing) suffer from sensitivity to structural shifts, irregular seasonality, and demand shocks. Machine learning ensembles—gradient boosting, recurrent neural networks (RNN), long short-term memory (LSTM)—incorporate broader explanatory variable sets: point-of-sale data, web search trends, promotional calendars, and macroeconomic indicators [9]. Empirical evidence confirms that ML ensembles consistently outperform classical statistical methods at the product-location forecast level [3].

3.2 Predictive Disruption Detection

Supply chain disruptions incur substantial costs: production downtime, expedited shipping, and suboptimal service levels. AI-based disruption detection systems analyze structured and unstructured data—supplier financial filings, news feeds, shipping delay alerts, IoT sensor streams [4]—to identify risk signals earlier than traditional exception reporting. Natural language processing systems extract relevant signals from text data at scale, triggering alerts and contingency processes to minimize disruption duration and impact [10].

3.3 Multi-Scenario Optimization

Traditional planning tools cannot evaluate thousands of alternative supply chain configurations in parallel. AI-based optimization systems employ stochastic programming, reinforcement learning, and heuristic search algorithms to simulate alternative production and distribution configurations across planning horizons [11]. This enables planners to replace single-plan approve/iterate cycles with continuous multi-scenario evaluation, selecting configurations that optimize service level, cost, and risk simultaneously.

3.4 Real-Time Adaptive Planning

Real-time adaptive planning integrates continuous data ingestion, predictive modeling, and optimization. While traditional systems lock a weekly production schedule (often obsolete by mid-week), adaptive systems continuously ingest live demand signals, supplier confirmations, and logistics data to execute production optimization in real time [2]. This capability is particularly valuable for high-velocity consumer goods and supply chains experiencing frequent supply interruptions.

4. Digital Twin Modeling and Autonomous Production Planning

Digital twin modeling and autonomous production planning algorithms form the technical foundation for realizing AI-driven optimization as operational action.

4.1 Digital Twin Technologies in Manufacturing

A digital twin is a dynamic, physics-based virtual model receiving real-time data feeds from IoT sensors and MES systems [12]. Unlike static simulation models requiring periodic reconfiguration, digital twins maintain real-time synchronization with their physical counterparts, enabling planning based on current operational state rather than historical snapshots.

In supply chains, digital twins support multiple analytical functions. Capacity simulation tests how changes in production volume, product mix, or equipment configuration impact system performance. Bottleneck identification uses production flow and material handling data to detect throughput constraints. Disruption scenario testing allows planners to evaluate alternative sourcing configurations and their scheduling and production impacts when supplier disruptions are anticipated [8]. Equipment configuration modeling informs maintenance scheduling and capacity rebalancing. Environmental monitoring supports quality assurance and compliance planning.

4.2 Autonomous Production Planning Algorithms

Autonomous supply chain intelligence systems generate optimized production plans without human intervention, integrating demand forecasts, supplier capacity confirmations, stock levels, manufacturing constraints, and logistics constraints [6]. The architectural distinction from classical APS is fundamental: classical planners operate in cycles; autonomous algorithms execute closed-loop optimization, monitoring real-time data streams and intervening only when deviations exceed defined tolerances. For example, when a logistics delay causes critical inventory to fall below reorder points, the algorithm autonomously reprioritizes production orders and initiates replenishment [2]. Constraint handling is critical. Autonomous planners must encode constraints—machine capacity, workforce availability, regulatory requirements, customer delivery commitments—as hard or soft constraints in the optimization problem [11]. Constraint relaxation hierarchies and priority orderings must be defined carefully to ensure

automated decisions align with organizational policies.

4.3 Industrial IoT as a Data Infrastructure

Digital twins and autonomous planning algorithms depend on real-time data. Industrial IoT sensor networks measure machine availability, throughput rates, quality metrics, and environmental conditions, making this data available to digital twins and planning algorithms [13]. Edge computing reduces data transfer latency and allows high-frequency sensor streams to be preprocessed locally, making real-time supply chain intelligence increasingly feasible.

5. Autonomous Supply Chain Decision Architecture and Integration with IBP

This section also proposes an autonomous supply chain decision architecture as well as its integration with Integrated Business Planning frameworks, which provide the planned governance layer in which the autonomous systems have to operate.

5. 1 Proposed Architecture

The Autonomous Supply Chain Decision Architecture comprises four layers that successively process operational data into actionable decisions: Predictive Analytics Layer. Ingests demand signals, supplier performance data, logistics intelligence, and macroeconomic indicators. Runs machine learning models to generate probabilistic demand forecasts and supply/disruption risk scores used downstream [9].

Operational Constraint Layer. Encodes manufacturing constraints—supplier lead times, network logistics constraints, regulatory requirements, cost parameters—as structured constraint sets. Ensures system recommendations are operationally feasible and compliant with organizational policies [6].

Scenario Simulation Layer. Uses digital twin models and stochastic simulation to explore alternative supply chain configurations under varying demand and supply scenarios. Assesses service level, cost, and risk trade-offs to provide decision-relevant intelligence supporting autonomous plan generation [12].

Autonomous Decision Layer. Combines outputs from preceding layers into optimized production schedules, supplier allocations, and inventory positioning recommendations. Incorporates execution logic defining how plans update when deviations occur and when decisions escalate to

humans when they exceed automation authority boundaries [8].

This architecture embodies bounded autonomy: the system operates independently within its authority envelope and escalates to humans only when decisions involve new trade-offs or exceptions to established boundaries.

Architecture Positioning. The ASCDA differs from existing reference frameworks in important ways. The SCOR model (Supply Chain Operations Reference) organizes planning and execution around five processes (Plan, Source, Make, Deliver, Return) but does not specify decision automation logic or governance mechanisms for autonomous systems. RAMI 4.0 (Reference Architecture Model for Industry 4.0) addresses integration across device, connectivity, information, functional, and business layers, but lacks supply chain-specific constraint encoding and scenario simulation. ISA-95 (Enterprise-Control System Integration) defines hierarchical levels (enterprise, operations, control, device) but was designed for factory automation rather than supply chain networks spanning multiple organizations. The ASCDA extends these frameworks by introducing explicit layers for predictive analytics, constraint encoding, scenario modeling, and bounded autonomous execution, coupled with governance integration points where IBP governance informs decision authority thresholds.

5.2 Integrated Business Planning Integration

Integrated Business Planning is a structured governance process aligning supply chain planning and execution with business, financial, and operational strategy through rolling monthly review cycles. Without deliberate integration, standalone AI systems may pursue their own objectives without alignment to broader business priorities.

For effective IBP integration, the ASCDA generates continuous demand sensing and autonomous plan generation, providing IBP review meetings with more current and granular operational data than periodic planning cycles allow. Demand, supply, and financial scenarios simulated in the Scenario Simulation Layer populate directly into IBP scenarios. Constraint parameters from the Operational Constraint Layer are adjusted through IBP-defined financial and operational targets, ensuring automated decisions remain within strategically approved boundaries [7].

This creates a governance loop: IBP informs planned intent and decision authority boundaries; the autonomous system executes real-time actions within those boundaries; data from autonomous

operations feed back into the next IBP cycle as high-fidelity performance intelligence.

5.3 Worked Case Study: 10-SKU, 3-Plant Scenario with Disruption

To illustrate ASCDA functionality, consider a simplified scenario: three plants producing ten SKUs with shared suppliers. Demand forecast accuracy is 85% baseline.

Baseline scenario (without ASCDA): Weekly planning cycle. Plant A receives the demand forecast on Monday, generates a production schedule by Thursday; execution begins Monday of the following week. Eight-day latency between forecast and execution. When a critical supplier disrupts mid-week, the impact cascades—inventory depletes by day 5; expedited sourcing incurs 15% cost premium; customer service level drops to 92%.

ASCDA scenario (with architecture):

- **Predictive Analytics:** Monday 06:00, system ingests weekend demand data, supplier performance alerts. ML forecast updates to 87% accuracy; disruption probability for Supplier B rises to 73%.
- **Operational Constraints:** System verifies Plant A capacity (1,200 units/day), Plant B (950 units/day), Plant C (850 units/day). Supplier A has a lead time of 4 days, Supplier B has a lead time of 3 days (disruption risk). Inventory targets by SKU encoded.
- **Scenario Simulation:** Digital twin tests three configurations: (1) maintain baseline production; (2) shift 30% Supplier B volume to Supplier A (adds 1 day lead time); (3) emergency buffer builds at Plant A. Configuration 2 yields 96% service level, 8% cost increase, 2-day buffer depletion delay.
- **Autonomous Decision:** System executes Configuration 2 at 06:30 on Monday. Issues revised production schedules to Plants A, B, and C; reallocates supplier orders. By 08:00 Tuesday, Supplier B disruption occurs; system already holding 2-day extra inventory of affected SKUs, maintains 95% service level, avoids expedited shipping.

Quantified outcomes: (1) Throughput: baseline 3,000 units/day across three plants; ASCDA sustains 2,950 units/day (98.3%) during disruption vs. 2,550 (85%) in baseline. (2) Inventory: baseline total inventory \$450K; ASCDA adds \$28K strategic buffer (6.2% increase) but saves \$67K expedited shipping and rush costs. Net savings: \$39K. (3) Service level: baseline drops to 92% post-disruption; ASCDA maintains 95%. (4) Decision latency: baseline 8 days; ASCDA 30 minutes.

This case illustrates how the four-layer architecture compresses decision cycles and improves resilience under uncertainty.

6. Organizational Implications and Social Impact

6.1 Changing Supply Chain Roles

Automation of routine planning will redirect supply chain professionals toward higher-value activities: system governance, parameter management, and supply chain design rather than data aggregation, exception reporting, or plan approval [15]. Supply chain planners become decision architects, defining rules, constraints, and escalation thresholds governing autonomous system behavior.

This role transition requires new talent development. Supply chain professionals need both domain expertise and data literacy: the ability to interpret algorithm outputs, assess whether model errors explain autonomous decisions, and engage constructively with data scientists on continuous system improvement [4]. Training programs must bridge theory and practice, equipping operational practitioners with analytical and statistical capabilities.

6.2 Human Oversight and Governance

Accountability and oversight in autonomous decision-making systems require explicit governance. When an autonomous planner makes a suboptimal decision causing service failure or unnecessary cost, responsible parties for system design, parameterization, and decision logic must be clearly identified [11]. Governance policies should specify documented thresholds for human review, regular model performance audits, and defined review processes for high-impact decisions, ensuring accountability accompanies performance gains.

6.3 Supply Chain Resilience and Social Impact

AI supply chain systems materially improve resilience by enabling faster disruption detection and response across global manufacturing networks [1]. This matters particularly for supply chains providing socially critical products—medical devices, pharmaceuticals, nutritional supplements—where failures impact public health. Furthermore, more efficient supply chain operations (optimized buffers, production schedules, vehicle load factors) reduce energy consumption, material waste, and carbon emissions [13]. As regulatory and stakeholder pressure for

environmental performance intensifies, autonomous systems contribute essential gains in both operational efficiency and sustainability.

6.4 Future Research Directions

Several aspects of autonomous supply chain intelligence require further research:

Explainable AI for planning. Supply chain managers trust and act on algorithmic recommendations more readily when the rationale is interpretable and understandable [3]. Developing and validating explainable AI methods for supply chain planning remains both theoretically important and practically urgent.

Reinforcement learning for dynamic optimization. Active research examines reinforcement learning agents learning through trial-and-error in simulated supply chain environments, maximizing long-run cumulative returns rather than fitting historical data [10]. As digital twin accuracy improves, RL-trained policies may unlock optimization gains beyond supervised learning approaches. This direction merits continued investigation.

Governance and systemic risk. Institutional frameworks for governing and managing risk in highly autonomous supply chain systems remain underdeveloped. As decision automation expands, governing model risk, data quality failures, and systemic supply chain impacts from correlated algorithmic decisions across multiple organizations becomes increasingly important for research and regulation [14].

7. Limitations

The ASCDA proposed here embodies several important limitations and boundary conditions:

Model accuracy dependence. The architecture's effectiveness depends critically on forecast and disruption detection model accuracy. In environments with extreme structural breaks (pandemic-scale events, geopolitical shocks), model retraining lags behind environmental change, reducing decision quality. Graceful degradation under model uncertainty requires additional research.

Constraint specification completeness. The Operational Constraint Layer assumes comprehensive encoding of manufacturing, regulatory, and organizational constraints. In practice, constraints often remain implicit in organizational culture or informal decision rules. An incomplete constraint specification can lead to autonomous decisions violating unstated organizational priorities.

Data quality and latency. Real-time decision-making requires reliable, low-latency data feeds. Legacy systems with poor data quality or high-latency integration limit ASCDA's applicability. Organizations with fragmented or legacy IT infrastructures may require substantial data platform investment before autonomous systems deliver value.

Governance scalability across organizations. The architecture assumes a single organization with unified governance. Supply chains spanning

multiple independent organizations with divergent priorities present governance coordination challenges not fully addressed here. Interorganizational governance frameworks warrant separate treatment.

Simulation fidelity for rare events. Digital twin simulations excel for frequently-occurring scenarios but may inadequately represent rare, high-impact events (extended supplier failure, natural disasters). Scenario simulation cannot fully compensate for real-world uncertainty in tail risk.

Table 1. Phases of Supply Chain Decision System Evolution [5][6][7][8]

Technology Generation	Primary Function	Planning Mode	Human Intervention Level	Key Limitation
ERP Systems	Transaction processing and data integration	Reactive, event-driven	High-level decisions manual	No optimization capability
Advanced Planning Systems	Demand forecasting and production scheduling	Periodic cycles (weekly/monthly)	High planner interprets outputs	Static, latency-bound cycles
Digital Control Towers	Real-time visibility and monitoring	Event-triggered alerts	Moderate human acts on alerts	Passive; no autonomous decisions
Autonomous Decision Systems	Continuous optimization and plan execution	Real-time, continuous	Low human governs thresholds	Model risk and governance complexity

Table 2. Machine Learning Techniques in Supply Chain Forecasting and Disruption Detection [3][4][9][10]

AI Technique	Application Domain	Input Data Types	Operational Advantage	Applicable Supply Chain Stage
Gradient Boosting	Demand forecasting	POS data, promotions, macroeconomic signals	Handles non-linear demand patterns	Demand planning
LSTM / RNN	Demand forecasting	Time-series operational data	Captures temporal dependencies	Demand and supply sensing
Natural Language Processing	Disruption detection	News feeds, supplier filings, logistics reports	Extracts unstructured risk signals at scale	Supplier risk management
Stochastic Programming	Multi-scenario optimization	Capacity, inventory, logistics constraints	Evaluates probabilistic trade-offs simultaneously	Production and distribution planning
Reinforcement Learning	Dynamic policy optimization	Simulated supply chain environment	Learns long-run policies beyond historical patterns	Autonomous decision execution

Table 3. Digital Twin Functional Capabilities in Manufacturing Supply Chains [8][12][13]

Digital Twin Function	Physical System Represented	Data Source	Planning Decision Supported	Update Frequency
Capacity simulation	Production workstations and assembly lines	MES throughput feeds	Volume and product mix planning	Continuous (real-time)
Bottleneck identification	Material handling and workflow systems	IIoT sensor streams	Throughput optimization and scheduling	Continuous (real-time)
Disruption scenario testing	Supplier sourcing network	Supplier confirmation and logistics data	Alternative sourcing decisions	Event-triggered
Equipment configuration modeling	Individual machines and cells	Sensor utilization data	Maintenance scheduling and capacity rebalancing	Periodic and event-triggered
Environmental condition monitoring	Facility and storage infrastructure	Environmental IIoT sensors	Quality assurance and compliance planning	Continuous (real-time)

Table 4. Autonomous Supply Chain Decision Architecture Layer Specifications [6][8]

Architecture Layer	Core Function	Primary Input Sources	Output Generated	Escalation Trigger
Predictive Analytics Layer	Demand forecasting and supply risk scoring	Demand signals, macroeconomic indicators, supplier performance data	Probabilistic demand forecasts, disruption probability scores	Forecast confidence below threshold

Operational Constraint Layer	Constraint encoding and feasibility validation	Capacity limits, lead times, compliance requirements, and financial parameters	Feasibility-filtered plan constraints	Constraint conflict or regulatory exception
Scenario Simulation Layer	Multi-scenario evaluation and trade-off quantification	Digital twin models, stochastic scenario parameters	Service-level, cost, and risk trade-off matrices	Scenario divergence exceeds tolerance
Autonomous Decision Layer	Optimized plan generation and execution monitoring	Outputs of all preceding layers	Production schedules, supplier allocations, and inventory positions	Decision authority threshold exceeded




Figure 1. System operates autonomously within authority envelope; escalates to humans when decisions exceed thresholds

8. Conclusions

Machine learning, digital twins, industrial IoT, and continuous optimization algorithms together enable a fundamental shift in supply chain planning from batch cycles with manual oversight to continuous, constraint-aware autonomous decision-making. The Autonomous Supply Chain Decision Architecture—integrating predictive analytics, operational constraint encoding, scenario simulation, autonomous execution, and IBP governance—operationalizes this shift while maintaining human oversight at decision boundaries where judgment, accountability, and organizational alignment matter most.

The transition to autonomous supply chains requires investment in three dimensions. Technically, organizations need cloud data platforms, real-time IoT infrastructure, and digital twin modeling capabilities. Organizationally, supply chain professionals must evolve from plan generators to system architects and governance stewards, requiring hybrid skill sets bridging domain expertise and data literacy. Institutionally, governance frameworks must clearly define decision authority thresholds, escalation procedures, and accountability mechanisms,

ensuring algorithmic decisions remain aligned with organizational strategy and regulatory requirements.

Supply chain resilience improves materially when disruptions are detected and addressed more rapidly, trade-off scenarios are evaluated at enterprise scale, and production plans adapt dynamically to changing conditions. Operational efficiency gains—optimized inventory buffers, production scheduling, logistics utilization—reduce energy consumption, material waste, and carbon footprint, advancing both economic and sustainability objectives. Beyond these quantifiable benefits, autonomous supply chain systems enhance the stability and reliability of critical good flows through global manufacturing networks, supporting public health and economic resilience in an increasingly volatile world.

Author Statements:

- **Ethical approval:** The conducted research is not related to either human or animal use.
- **Conflict of interest:** The authors declare that they have no known competing financial interests or personal relationships that could

have appeared to influence the work reported in this paper

- **Acknowledgement:** The authors declare that they have nobody or no-company to acknowledge.
- **Author contributions:** The authors declare that they have equal right on this paper.
- **Funding information:** The authors declare that there is no funding to be acknowledged.
- **Data availability statement:** The data that support the findings of this study are available on request from the corresponding author. The data are not publicly available due to privacy or ethical restrictions.
- **Use of AI Tools:** The author(s) declare that no generative AI or AI-assisted technologies were used in the writing process of this manuscript.

References

- [1] Pvpssiddhartha. (n.d.). Logistics and Supply Chain Management. Available: https://www.pvpssiddhartha.ac.in/dep_it/lecture%20notes/4-2-23/LSCM/LSCM%20Unit-1.pdf
- [2] Hau L. Lee, V. Padmanabhan, & Seungjin Whang. (2004). Information distortion in a supply chain: The bullwhip effect. Available: <https://www.researchgate.net/publication/227446993>
- [3] Tonya Boone, Ram Ganeshan, Aditya Jain, & Nada R. Sanders. (2019). Forecasting sales in the supply chain: Consumer analytics in the big data era. *International Journal of Forecasting*. 35(1):170–180. Available: <https://www.sciencedirect.com/science/article/abs/pii/S0169207018301523>
- [4] Reza Toorajipour, Vahid Sohrabpour, Ali Nazarpour, Pejvak Oghazi, & Maria Fischl. (2021). Artificial intelligence in supply chain management: A systematic literature review. *Journal of Business Research*. 122:502–517. Available: <https://www.sciencedirect.com/science/article/pii/S014829632030583X>
- [5] Emanuel João Martins & Fernando Paulo Belfo. (2023). Major concerns about Enterprise Resource Planning (ERP) systems: A systematic review of a decade of research (2011–2021). *ScienceDirect*. Available: <https://www.sciencedirect.com/science/article/pii/S1877050923003125>
- [6] Hartmut Stadler & Christoph Kilger. (2008). *Supply chain management and advanced planning: Concepts, models, software and case studies*. Springer. Available: https://www.cur.ac.rw/mis/main/library/documents/book_file/2015_Book_SupplyChainManagementAndAdvanc.pdf
- [7] Li Ninglin, Suraya Miskon, Noriza Mohd. Jamal, & Shanshan Yue. (2024). Supply chain visibility through a control tower: A systematic literature review. *International Journal of Academic Research in Business and Social Sciences*. Available: <https://www.researchgate.net/publication/387196950>
- [8] Han Wang, Chenze Wang, Qing Liu, Xiaohan Zhang, Min Liu, Yumin Ma, Feng Yan, & Weiming Shen. (2024). A data and knowledge-driven autonomous intelligent manufacturing system for intelligent factories. *Journal of Manufacturing Systems*. Available: <https://www.sciencedirect.com/science/article/abs/pii/S0278612524000785>
- [9] Real Carbonneau, Kevin Laframboise, & Rustam Vahidov. (2008). Application of machine learning techniques for supply chain demand forecasting. *European Journal of Operational Research*. 184(3):1140–1154. Available: <https://www.sciencedirect.com/science/article/abs/pii/S0377221706012057>
- [10] Rajkanwar Singh, Pratik Mandal, & Sukanta Nayak. (2024). Reinforcement Learning Approach in Supply Chain Management: A Review. *ResearchGate*. Available: <https://www.researchgate.net/publication/378775545>
- [11] Michel Gendreau & Jean-Yves Potvin. (2010). *Handbook of Metaheuristics*. ACM Digital Library. Available: <https://dl.acm.org/doi/10.5555/1941310>
- [12] Angira Sharma, Edward Kosasih, Jie Zhang, Alexandra Brintrup, & Anisoara Calinescu. (2022). Digital Twins: State of the art theory and practice, challenges, and open research questions. *Journal of Industrial Information Integration*. Available: <https://www.sciencedirect.com/science/article/pii/S2452414X22000516>
- [13] Li Da Xu, Wu He, & Shancang Li. (n.d.). Internet of Things in industries: A survey. *IEEEExplore*. Available: <https://ieeexplore.ieee.org/abstract/document/6714496>
- [14] Herbert Jodlbauer, Manuel Brunner, Nadine Bachmann, Shailesh Tripathi, & Matthias Thürer. (2023). *Supply Chain Management: A Structured Literature Review and Implications for Future Research*. MDPI. Available: <https://www.mdpi.com/2305-6290/7/4/70>
- [15] Svitlana Smerichevska, Larysa Prodanova, & Oleksandr Yakushev. (2024). Digitization of logistics and supply chain management. *Electronic Scientific and Practical Publication in Economic Sciences*. Available: <https://www.researchgate.net/publication/383902315>